



DAITO Alarm Indicating FusesDaito fuses are frequently used in machine tools, CNC and robotic equipment, telecommunications and equipment from Fanuc, Yaskawa, Toshiba and NEC.

They are AC/DC rated fuses with an integral alarm contact that is closed on fuse operation, signalling that the fuse has operated.

They are a unique size and cannot be interchanged with other fuse types. Other Daito designs as well as fuseholders available on request.

	Daito series	Amp Rating Designation	Voltage Rating	Breaking Capacity	Speed
500	MP c Al us	032, 05, 063, 10, 16, 20, 32, 50, 63, 75	125V ac/dc	100A	Fast
	SMP/SDP	10, 16, 20, 32, 50, 75	125V ac/dc	100A	Delay
	GP	032, 05, 10, 16, 20, 25, 32, 40, 50	250Vac/dc	1500A Normal 750A	Name
		75, 100, 150,			
	P3 P4	03, 05, 13, 20, 30, 35, 50	220V ac	2500A	Normal
			250V dc	1500A	
		75, 100	125V ac	2500A	
			125V dc	1500A	
		150	125V ac/dc	1000A	
	P4H @ % \	04, 05, 13, 20, 30, 35, 50	125V ac	10,000A	Normal
			250V ac/dc	1500A	
		75, 100	125V ac	10,000A	
			250V ac/dc	200A	
	P4L	04, 05, 13, 20, 30, 35, 50, 75	125V ac	10,000	- Normal
			125V dc	1500A	
		100, 150	125V ac/dc	100A	
			60V ac/dc	200A	
	SP3, SP4	01, 02, 03, 05, 10, 15, 20	220V ac	2500A	Delay
			250V dc	1500A	
		30, 35	220V ac	1500A	
			250V dc	300A	
		50	125V ac/dc	1000A	
	HP c AL us	032, 05, 10, 16, 20, 32, 50	125V ac	10,000A	- Normal
			250V ac/dc	200A	
		63	250ac/dc	200A	
			125ac/dc	10,000A	